

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/993,026	11/14/2001	Jean-Claude Neaux	9320.138US01	6476
23552	7590 04/06/2004		EXAMINER	
MERCHANT & GOULD PC			BREVARD, MAERENA W	
P.O. BOX 2903 MINNEAPOLIS, MN 55402-0903			ART UNIT	PAPER NUMBER
			3727	
			DATE MAILED: 04/06/2004	ļ

Please find below and/or attached an Office communication concerning this application or proceeding.

,	Application No.	Applicant(s)				
. Office Action Summary	09/993,026	NEAUX, JEAN-CLAUDE				
Office Action Summary	Examiner	Art Unit				
The MAN INC DATE Additional Control of the Control	Maerena W. Brevard	3727				
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with	i the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPI THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a rep ply within the statutory minimum of thirty of d will apply and will expire SIX (6) MONTI te, cause the application to become ABA	oly be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).				
Status		·				
1) Responsive to communication(s) filed on 06.	January 2004.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ⊠ Claim(s) 1-9,11 and 16-22 is/are pending in the 4a) Of the above claim(s) is/are withdrest size allowed. 5) ⊠ Claim(s) 1-9,11 and 16-21 is/are allowed. 6) ⊠ Claim(s) 22 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and size allowed.	awn from consideration.					
Application Papers						
9)☐ The specification is objected to by the Examir 10)☑ The drawing(s) filed on <u>06 January 2004</u> is/ar Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the B	re: a)⊠ accepted or b)⊡ ob e drawing(s) be held in abeyand ection is required if the drawing(s	e. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document and Copies of the priority document application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in Apiority documents have been rau (PCT Rule 17.2(a)).	oplication No received in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date	Paper No(s)	ummary (PTO-413) /Mail Date formal Patent Application (PTO-152) 				

Application/Control Number: 09/993,026 Page 2

Art Unit: 3727

DETAILED ACTION

Drawings

1. The drawings were received on January 6, 2004. These drawings are acceptable.

Claim Rejections - 35 USC § 102

- 2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 3. Claim 22 is rejected under 35 U.S.C. 102(b) as being anticipated by Depoix (EP 0664241A1).

Depoix discloses a roof rack bar comprising:

- A transverse bar (1);
- Two fastening feet (2) mounted at the ends of the transverse bar;
- The feet are capable of sliding along the side rails in an adjustment position (Figures 1 and 2);
- At least one of the feet comprises a housing in which one end of the transverse bar can slide between two extreme positions in order to adapt to a variable distance between the side rails (Figure 3);
- A first locking and reinforcement means (7, 8, 9); and
- A second complementary locking and reinforcement means (6, 10, 11) fitted on the transverse bar.

Allowable Subject Matter

4. Claims 1-9, 11, and 16-21 are allowed.

Application/Control Number: 09/993,026

Art Unit: 3727

Page 3

Conclusion

5. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Maerena W. Brevard whose telephone number is 703/305-0037. The examiner can normally be reached on M-Th; 8:00 AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lee W. Young can be reached on 703/308-2572. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/993,026

Art Unit: 3727

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Maerena Brevard April 2, 2004

GREGORY VIDOVICH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700